

**List of Papers by the staff of the Graduate School of Biosphere Science,
Hiroshima University, published during January 2016 to March, 2017**

広島大学大学院生物圏科学研究科教員業績目録

(2016年1月—2017年3月)

Animal Science Division 陸域動物生産学講座

- Nishibori, M.**, Osman, S.A.M., Ghanem, M.E., Kazymbet, P., Bakhtin, M., Meldelokov, A., Suleimenov, M.Z., Kazhmrat, A.M., Bibigul, S.B., Mannen, H., Yamamoto, Y., 2017. Mitochondrial genetic diversity of Saiga tatarica tatarica (*Saiga antelope*) in Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 27-35.
- Mannen, H., Takahashi, Y., Yamagata, T., Yamamoto, Y., Tsunoda, K., Nomura, K., Kunieda, T., Onishi, R., Ito, F., Takeuchi, K., Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., **Nishibori, M.**, 2017. Outline of sampling and coat-color variations of the native cattle in Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 37-43.
- Nomura, K., Takahashi, Y., Tahara, G., Kurosawa, Y., Mannen, H., Yamagata, T., Kunieda, T., Tsunoda, K., Yamamoto, Y., Onishi, R., Ito, F., Takeuchi, K., **Nishibori, M.**, Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., 2017. Microsatellite DNA polymorphisms observed in the indigenous cattle of Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 45-51.
- Kunieda, T., Ezoe, H., Okuda, Y., Mannen, H., Takahashi, Y., Nomura, K., Yamagata, T., Yamamoto, Y., Tsunoda, K., Bakhtin, M., Kazymbet, P., Meldelokov, A., Suleimenov, M.Z., Safranova, O., **Nishibori, M.**, 2017. Coat color variation and allelic frequency of the genes associated with body composition and locomotion traits in Kazakhstan native horse. *Rep.Soc.Res.Native Livestock*, **28**: 53-67.
- Mannen, H., Tabata, R., Takahashi, Y., Yamagata, T., Yamamoto, Y., Tsunoda, K., Nomura, K., Kunieda, T., Onishi, R., Ito, F., Takeuchi, K., Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., **Nishibori, M.**, 2017. Outline of sampling and mitochondrial DNA polymorphisms in Kazakhstan domestic goats. *Rep.Soc.Res.Native Livestock*, **28**: 65-73.
- Nomura, K., Tahara, G., Suzuki, S., Takahashi, Y., Kurosawa, Y., Mannen, H., Yamagata, T., Kunieda, T., Tsunoda, K., Yamamoto, Y., Onishi, R., Ito, F., Takeuchi, K., **Nishibori, M.**, Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., 2017. Microsatellite DNA polymorphisms observed in the indigenous goats of Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 75-82.
- Yamagata, T., Tsunoda, K., Takahashi, Y., Nomura, K., Mannen, H., Kunieda, T., Onishi, R., Ito, F., Takeuchi, K., Yamamoto, Y., **Nishibori, M.**, Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., 2017. External morphological characters of local sheep breeds and populations in Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 83-96.
- Tsunoda, K., Yamagata, T., Takahashi, Y., Nomura, K., Mannen, H., Kunieda, T., Sato, K., Onishi, R., Ito, F., Takeuchi, K., Yamamoto, Y., **Nishibori, M.**, Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., 2017. Phylogenetic research on several local sheep breeds and populations in Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**: 97-113.
- Yamagata, T., Yamamoto, Y., Meldelokov, A., Suleimenov, M.Z., Bakhtin, M., Kazymbet, P., **Nishibori, M.**,

- Nozawa, K., 2017. Morphological traits and related gene frequencies of cats in Kazakhstan. *Rep.Soc.Res.Native Livestock*, **28**:115-121.
- Islam, M.A., **Nishibori, M.**, 2017. Use of multivitamin, acidifier and azolla in the diet of broiler chickens. *Asian-Australas J Anim Sci*, **30**: 683-689.
- Osman, A.M.S., Yonezawa, T., **Nishibori, M.**, 2016. Origin and genetic diversity of Egyptian native chickens based on complete sequence of mitochondrial DNA D-loop region. *Poultry Science*, **95**: 1248-1256.
- 伊藤文香・大西諒貴・安江博・**西堀正英**. 2016. 生活圏に生息する動物種を対象とした分子種判別法の利活用に関する研究. *DNA 多型*, **31** : 31-42.
- 西堀正英**. 2017. 形質と遺伝. 「動物遺伝育種学」(祝前博明・国枝哲夫・野村哲郎・万年英之 編). 朝倉書店 東京 : pp. 18-30.
- Osman, A.M.S., Yonezawa, T., **Nishibori, M.**, 2016. Origin and genetic diversity of Egyptian native chickens based on complete sequence of mitochondrial DNA D-loop region. *Poultry Science*, **95**: 1248-1256.
- Nakano, K., Nishio, M., Kobayashi, N., Hiradate, Y., **Hoshino, Y.**, Sato, E., Tanemura, K. 2016. Comparison of the effects of BPA and BPAF on oocyte spindle assembly and polar body release in mice. *Zygote* **24**: 172-180.
- Nagatomo, H., Kohri, N., Akizawa, H., **Hoshino, Y.**, Yamauchi, N., Kono, T., Takahashi, M., Kawahara, M. 2016. Requirement for nuclear autoantigenic sperm protein mRNA expression in bovine preimplantation development. *Anim. Sci. J.* **87**: 457-461.
- Lee, S-H., Hiradate, Y., **Hoshino, Y.**, Tanemura, K., Sato, E. 2016. Localization and quantitative analysis of Cx43 in porcine oocytes during in vitro maturation. *Zygote* **24**: 364-370.
- Yu, G-M., Bai, J-H., Liu, Y., **Maeda, T.**, Zeng, S-M. 2016. A weekly postpartum PGF2a protocol enhances uterine health in dairy cows. *Reprod. Biol.* **16**: 295-299.
- Ogata, Y., Yu, G-M., Hidaka, T., Matsushige, T., **Maeda, T.** 2016. Effective embryo production from Holstein cows treated with gonadotropin-releasing hormone during early lactation. *Theriogenology* **86**: 1421-1426.
- EL-Sabagh M, Taniguchi D, Sugino T, Obitsu T, Taniguchi K. 2016. Metabolomic profiling reveals differential effects of glucagon-like peptide-1 and insulin on nutrient partitioning in ovine liver. *Anim. Sci. J.* **87**: 1480-1489.
- 杉野利久・櫛引史郎. 2016. 泌乳期の生産性に直結する乾乳期の栄養管理. *日本胚移植学雑誌* **38** : 83-86.
- 杉野利久. 2016. 乾乳前期は粗飼料多給の低エネルギーで. *Dairy Japan*, 6月号.
- 杉野利久・福森理加・谷口 大・EL-Sabagh M・小櫃剛人. 2016. グルカゴン様ペプチド1 の反芻動物における特異的な分泌と作用について. *栄養生理研究会報* **60** : 35-43.
- 杉野利久・館野綾音・沖村朋子・川嶋賢二・平林晴飛・鈴木有希津・朝隈貞樹・磯部直樹・小櫃剛人・櫛引史郎. 2015. 高泌乳牛における乾乳期低栄養管理が 泌乳持続性および発情回帰に及ぼす影響. *畜産技術* **10** : 13-17.
- Hisaeda, K., Koshiishi, T., Watanabe, M., Miyake, H., **Yoshimura, Y.**, **Isobe, N.** 2016. Change in viable bacterial count during preservation of milk derived from dairy cows with subclinical mastitis and its relationship with antimicrobial components in milk. *J. Vet. Med. Sci.* **78**:1245-1250.
- Abdel-Mageed, A.M., **Isobe, N.**, **Yoshimura, Y.** 2016. Effects of viral-associated molecular patterns on the expression of cathelicidins in the hen vagina. *J. Poult. Sci.* **53**: 240-247.
- Huang, A., **Isobe, N.**, **Obitsu, T.**, **Yoshimura, Y.** 2016. Expression of lipases and lipid receptors in sperm storage tubules and possible role of fatty acids in sperm survival in the hen oviduct. *Theriogenology* **85**: 1334-1342
- Srisaikham, S., Suksombat, W., **Yoshimura, Y.**, **Isobe, N.** 2016. Goat cathelicidin-2 is secreted by blood

- leukocytes regardless of lipopolysaccharide stimulation. *Anim. Sci. J.* **87**: 423-427.
- 磯部直樹. 2016. 乳房炎と自然免疫機構. 産業動物臨床医学雑誌術 **7** : 123-130.
- 磯部直樹. 2016. 反芻家畜の乳腺で產生される抗菌因子の分布と分泌. 畜産技術 **9** : 2-7.
- 磯部直樹. 2016. 反すう家畜の乳腺における抗菌因子カテリシン產生の調節機構とその応用. 酪農ジャーナル **69** : 25-27.
- 磯部直樹, 久枝啓一. 2016 乳房炎 Q&A 「なぜ乳房炎が繁殖機能に影響を及ぼすのか」臨床獣医 **34** : 4-5.

Aquatic Biology Division 水圈生物生産学講座

- Kimura, Y., Sakai, Y. 2016. Emergence behavior of a tide pool fish *Praealticus tanegasimae* (Teleostei; Blenniidae) on subtropical reefs. *Journal of Ethology*. **34**: 175-181.
- Tsuboi, M., Sakai, Y. 2016. Polygamous mating system and protogynous sex change in the gobiid fish *Fusigobius neophytus*. *Journal of Ethology*. **34**: 263-275.
- Kadota, T., Sakai, Y. 2016. Mating system of the freckled hawkfish, *Paracirrhites forsteri* (Cirrhitidae) on Kuchierabu-jima Island reefs. *Environmental Biology of Fishes*. **99**: 761– 769
- Cunha de Queiroz, A., Sakai, Y., Vallinoto, M., Barros, B. 2016. Morphometric comparisons of plant-mimetic juvenile fish associated with plant debris observed in the coastal subtropical waters around Kuchierabu-jima Island, southern Japan. *Peer J*. **4**: e2268.
- 重田利拓・斎藤英俊・山口敦子・斎藤英俊・富山毅・坂井陽一・清水則雄. 2016.瀬戸内海広島湾のアサリ漁場の干潟における大型クロダイ *Acanthopagrus schlegelii*(タイ科)の出現の季節変化. 広島大学博物館研究報告. **8** : 31-37.
- 益井敏光・富山毅・橋本博明. 2016. 瀬戸内海におけるニシン目魚類ヒラの年齢と成長. 水産海洋研究. **80** : 129-135.
- Hata, M., Sugimoto, R., Hori, M., Tomiyama, T., Shoji, J. 2016. Occurrence, distribution and prey items of juvenile marbled sole *Pseudopleuronectes yokohamae* around a submarine groundwater seepage on a tidal flat in southwestern Japan. *J. Sea Res.* **111**: 47-53.
- Tomiyama, T. 2016. Quantitative regeneration in bivalve siphons: difference between short- and long-siphoned species. *Mar. Biol.* **163**: 80
- Tomiyama, T., Yamada, K., Wakui, K., Tamaoki, M., Miyazaki, K. 2016. Impact of sea spider parasitism on host clams: relationships between burial patterns and parasite loads, somatic condition and survival of host. *Hydrobiologia* **770**: 15-26.
- Tomiyama, T., Katayama, S., Yamamoto, M., Shoji, J. 2016. Diel feeding patterns and daily food intake of juvenile stone flounder *Platichthys bicoloratus*. *J. Sea Res.* **107**: 130-137.
- Tomiyama, T., Iwasaki, T., Wakui, K., Yamada, K., Tamaoki, M., Miyazaki, K. 2016. Dynamics of the sea spider parasitism on asari in Matsukawaura Lagoon, Fukushima, Japan. *Bull. Jap. Fish. Res. Edu. Agen.* **42**: 94.
- Kawai, K., Watanabe, T., Saito, H. 2016. Field experiments on chironomid phototaxis at the shore of Lake Kojima, Japan. *Bull. Hiroshima Univ. Mus.* **8**: 53-59.
- Saito, H., Yamasaki, A., Watanabe, J., Kawai, K., 2016. Distribution of the invasive freshwater shrimp *Palaemon sinensis* (Sollaoud, 1911) in rivers of Hiroshima Prefecture, western Japan. *BioInvasions Records*. **5**: 93-100.
- 平林公男・河合幸一郎. 2016. ユスリカ研究の近年の動向と今後の課題 水環境における環境指標生物としてのユスリカ類. 「衛生動物学の進歩 第2集」(松岡裕之編) 三重大学出版会. pp. 179-190.
- 斎藤英俊. 2016. 遊漁に利用される環形動物の現状. 月刊海洋号外「環形動物の分類学」**57** : 83-92.
- 星野 修・斎藤暢宏(著)・長澤和也(編著). 2016. 海の寄生・共生生物図鑑 - 海を支える小さなモンスター.

- 築地書館, 東京, 112 pp.
- Ishida, Y., Yamada, **Nagasawa, K.** 2016. Future climate-related changes in fish species composition including chum salmon (*Oncorhynchus keta*) in northern Japanese waters, inferred from archaeological evidence. *North Pacific Anadromous Fish Commission Bulletin*. **6**: 243-258.
- Kan, K., Sato, M., **Nagasawa, K.** 2016. Tidal-flat macrobenthos as diets of the Japanese eel *Anguilla japonica* in western Japan, with a note on the occurrence of a parasitic nematode *Heliconema anguillae* in eel stomachs. *Zoological Science*. **33**: 50-62.
- Katahira, H., Mizuno, K., **Nagasawa, K.** 2016. Year-round infections and complicated demography of a food-transmitted parasite, *Heliconema anguillae* (Nematoda), implying the feeding activity of Japanese eels in saline habitats. *Fisheries Science*. **82**: 863-871.
- 長澤和也. 2016. 日本産淡水魚類に寄生する線虫類目録（1905-2016年）[前篇]. 広島大学総合博物館研究報告. **8** : 61-90.
- 長澤和也. 2016. ヘラザメ類やラブカに寄生する線虫, ラブカセンチュウ（新称）*Mooleptus rabuka*. 板鰓類研究会報. **52** : 1-4.
- 長澤和也. 2016. 日本産コイ科魚類に寄生するフタゴムシ *Eudiplozoon nipponicum* と近縁未同定種に関する解説 [付録：亀谷了博士の研究業績目録]. 生物圏科学. **55** : 39-56.
- 長澤和也. 2016. 養殖ブリ幼魚における大型吸虫の寄生. 生物圏科学. **55** : 7-12.
- 長澤和也・河合幸一郎. 2016. 島根県産サケ科魚類に寄生していたチョウモドキ. ホシザキグリーン財団研究報告. **19** : 4.
- 長澤和也・佐藤秀樹. 2016. 群馬県城沼産魚類におけるイカリムシとヤマトニセエラジラミの寄生状況. 群馬県立自然史博物館研究報告. **20** : 161-164.
- 長澤和也・上野大輔. 2016. 日本産魚類に寄生するカクレムシ科（新称）*Philichthyidae*科カイアシ類の目録（1926-2016年）. 生物圏科学. **55** : 71-84.
- Nagasawa, K.**, Harada, S. 2016. *Ceratothoa carinata* (Isopoda: Cymothoidae) from Japanese scad *Decapterus maruadsi* in coastal waters of the western North Pacific Ocean off central-western Japan. *Biogeography*. **18**: 67-70.
- Nagasawa, K.**, Isozaki, S. 2016. Crimson seabream *Evynnis tumifrons* (Temminck & Schlegel, 1843) (Perciformes, Pagridae), a new host for *Ceratothoa verrucosa* (Schioedte & Meinert, 1883) (Isopoda, Cymothoidae). *Crustaceana*. **89**: 1229-1232.
- Nagasawa, K.**, Katahira, H. 2016. A synopsis of the parasites from cyprinids of the genus *Tribolodon* in Japan: a 2016 update and supplement. *Biosphere Science*. **55**: 57-70.
- Nagasawa, K.**, Tensha, K. 2016. *Nerocila phaiopleura* (Isopoda: Cymothoidae) parasitic on Japanese Spanish mackerel *Scomberomorus niphonius* in the Seto Inland Sea, Japan. *Biogeography*. **18**: 71-75.
- Nitta, M., **Nagasawa, K.** 2016. New geographical records of three gill monogeneans (Platyhelminthes) parasitic on *Pseudorasbora parva* (Cypriniformes: Cyprinidae) in Japan. *Species Diversity*. **21**: 1-7.
- Nitta, M., **Nagasawa, K.** 2016. Four alien monogeneans, including *Trinigyrus peregrinus* n. sp., parasitic on the invasive armored catfish *Pterygoplichthys disjunctivus* (Siluriformes: Loricariidae) from Okinawa-jima Island, Okinawa Prefecture, Japan. *Species Diversity*. **21**: 95-104.
- Nitta, M., **Nagasawa, K.** 2016. A new species of *Dactylogyrus* (Monogenea: Dactylogyridae) parasitic on an endangered freshwater fish, *Rhodeus atremius atremious*, endemic to Japan. *Parasitology International*. **65**: 483-487.
- Otake, S., Wakabayashi, K., Tanaka, Y., **Nagasawa, K.** 2016. Life history of *Choniomyzon inflatus* (Copepoda: Siphonostomatoida: Nicothoidae) with the morphological descriptions of adult male, copepodid and nauplius. *Systematic Parasitology*. **93**: 145-157.
- Paschoal, F., **Nagasawa, K.**, Luque, J. L. 2016. A new species of *Leposphilus* Hesse, 1866 (Copepoda: Philichthyidae) parasitic in the interorbital canals of the whitemouth croaker *Micropogonias*

- fumieri* (Desmarest) (Sciaenidae) off Brazil with an amended diagnosis of the genus. *Systematic Parasitology*. **93**: 501-515.
- Tang, D., Uyeno, D., Nagasawa, K. 2016. A review of the *Taeniacanthus balistae* species complex group (Crustacea: Copepoda: Taeniacanthidae), with descriptions of two new species. *Zootaxa*. **4174**: 212-236.
- Uyeno, D., Ogasaka, R., Nagasawa, K. 2016. *Nippoparasitus unoashinocola*, a new genus and species of philobrennid copepod (Cyclopoida) parasitic on the Pacific sugar limpet, *Patelloida saccharina* from the intertidal zone of eastern Japan. *Zootaxa*. **4174**: 386-395.
- Venmathi Maran, B. A., Cruz-Lacierda, E. R., Ohtsuka, S., Nagasawa, K. 2016. New records of Caligidae (Copepoda, Siphonostomatoidea) from the Philippines. *Zootaxa*. **4174**: 237-248.
- Sakamoto, T., Yoshiki, M., Takahashi, T., Yoshida, M., Ogino, Y., Ikeuchi, T., Nakamachi, T., Konno, N., Matsuda, K., Sakamoto, H. 2016. Principal function of mineralocorticoid signaling suggested by constitutive knockout of the mineralocorticoid receptor in medaka fish. *Scientific Reports* **6**: 37991.
- Hamasaki, S., Mukuda, T., Kaidoh, T., Yoshida, M., Uematsu, K. 2016. Impact of dehydration on the forebrain preoptic recess walls in the mudskipper, *Periophthalmus modestus*: a possible locus for the center of thirst. *Journal of Comparative Physiology-B* **186**: 891-905.
- Takiyama, T., Hamasaki, S., Yoshida, M. 2016. Comparison of the visual capabilities of an amphibious and an aquatic goby that inhabit tidal mudflats. *Brain, Behavior and Evolution* **87**: 39-59.
- 吉田将之. 2016. キンギョもいろいろ考えている. *Nextcom* **26**, 52-53.

Food and Resource Economics Division 食料資源経済学講座

- 細野賢治. 2016. 食肉加工業による人工熟成肉の技術革新とバリューチェーン構築の意義—全国食肉輸出事業協同組合の「熟成旨み肉」の取組み—. 国産食肉等の新需要創出へのチャレンジⅢ：51-64.
- 細野賢治. 2016. 和歌山県有田地域における多様な産地組織によるミカンのマーケティング戦略. 日本農業経営年報NO.10産地再編が示唆するもの：147-160.
- 田中秀樹. 2016. いま改めて協同を考える. 日本農民新聞. 2016.1.5 : 1-1.
- 田中秀樹. 2017. 「小さな協同」とは何か. 「協同の再発見—『小さな協同』の発展と協同組合の未来」(田中秀樹編) 家の光協会. 東京 : 1-28.
- 田中秀樹. 2017. 農協における助け合い協同の発展と福祉事業の構造—長野県 JA あづみを事例に. 「協同の再発見—『小さな協同』の発展と協同組合の未来」(田中秀樹編) 家の光協会. 東京 : 65-100.
- 関口明男・田中秀樹. 2017. ワーカーズコレクティブがつくる「福祉専門生協」. 「協同の再発見—『小さな協同』の発展と協同組合の未来」(田中秀樹編) 家の光協会. 東京 : 127-164.
- 田中秀樹. 2017. 農協・生協を地域の協同のセンターとして. 「協同の再発見—『小さな協同』の発展と協同組合の未来」(田中秀樹編) 家の光協会. 東京 : 193-207.

Field Sciences in Setouchi Areas Division瀬戸内圏フィールド科学講座

- 妹尾あいら・谷田 創. 2016. 自由徘徊ネコに対する酢酸及びイソ吉草酸を含有した高分子吸液体の忌避効果の検証. ヒトと動物の関係学会誌 **44** : 42-48.
- 岩本彩・谷田 創・小川景子・木場有紀. 2016. 大学馬術部における幼稚園児を対象とした馬介在教育プログラムの試み. ヒトと動物の関係学会誌 **45** : 68-74.
- 妹尾あいら・谷田 創. 2017. 酢酸及びイソ吉草酸を含有した高分子吸液体にシトラールを添加したネコ

- 用忌避剤の効。ペストロジー **32** : 1-6.
- Fan, X., Kawamura, K., Lim, J., Yoshitoshi, R., Yuba, N., Lee, H.-J., **Kurokawa, Y.**, Tsumiyama, Y. 2016. Spring growth stagedetection in Italian ryegrass field using a ground-based camera system. *Grassland Science* **63** : 188-193.
- 橋本周一郎・大塚 攻・近藤裕介・岩崎貞治・足立 文・笠川宏子・小谷野有加. 2016. 濱戸内海産エビ クラゲの餌生物と摂餌方法に関する研究. 広島大学総合博物館研究報告 **8** : 39-43.
- Ohtsuka, S.**, Tanaka, H., Boxshall, G. A., 2016. A new species of hyperbenthic cyclopoid copepod from Japan: first record of the genus *Cyclopicina* in the Indo-Pacific region. *Zoological Science*. **33**: 659-666.
- 大塚 攻・田中隼人・近藤裕介・内海隼人・橋本周一郎・片岡 聖・中口和光・山口修平・加藤幹雄・Dhugal Lindsay・砂原圭砂. 2016. 種子島沖合における親潮潜流の到達の可能性：北太平洋亜寒帯指標種 *Neocalanus cristatus* (カイアシ類) の出現. 広生物圏科学. **55** : 25-30.
- Venmathi Maran, B. A., Suárez-Morales, E., **Ohtsuka, S.**, Soh, H. Y., Hwang, U. W. 2016. On the occurrence of caligids (Copepoda: Siphonostomatoidea) in the marine plankton: a review and checklist. *Zootaxa*. **4174**: 437-447.
- Takagi, J., Ichikawa, K., Arai, N., Miyamoto, Y., Uchida, K., Fujioka, K., Fukuda, H., **Shoji, J.**, Mitamura, H. 2016. Simultaneous identification of multiple signals from phase modulation-coded transmitters for acoustic biotelemetry of fish school. *Journal of Advanced Marine Science and Technology Society*. **22**: 5-9.
- Fukuta, A., Kamimura, Y., Hori, M., Nakao, M., Noda, T., Yamashita, Y., Otake, T., **Shoji, J.** 2016. Offshore currents explain the discontinuity of fish community in seagrass bed along the Japanese archipelago. *Fisheries Oceanography*. **25**: 65-68.
- Sonoki, S., Shao, H., Morita, Y., Minami, K., **Shoji, J.**, Hori, M., Miyashita, K. 2016. Using Acoustics to Determine Eelgrass Bed Distribution and to Assess the Seasonal Variation of Ecosystem Service. *PLOS ONE*. doi:10.1371/journal.pone.0150890
- Tsuboi, M., **Shoji, J.**, Sogabe, A., Ahnesjö, I., Kolm, N. 2016. Within species support for the expensive tissue hypothesis: a negative association between brain size and visceral fat storage in females of the Pacific seaweed pipefish. *Ecology and Evolution*. **6**: 647-665.
- Shoji, J.**, Morimoto, M. 2016. Changes in fish community in seagrass beds in Mangokuura Bay from 2009 to 2014, the period before and after the tsunami following the 2011 off the Pacific coast of Tohoku earthquake. *Journal of Oceanography*. **72**: 91-98.
- 山田誠・小路 淳・寺本瞬・大沢信二・三島壮智・杉本亮・本田尚美・谷口真人. 2016. 夏季の大分県日出町沿岸部におけるドローンを用いた海底湧水の探索. 水文科学会誌. **46** : 29-38.
- 山本昌幸・小路 淳. 2016. 濱戸内海中央部の砂浜浅海域における底生魚類相の季節変化. 水産増殖. **64** : 53-61.
- Kato, A.**, Baba, M., Matsuda, S., Iryu, Y. 2016. Chapter 14. Western Pacific. In “Rhodolith/maerl beds: A Global Perspective”, Eds. Riosmena-Rodriguez, R., Kendrick, G. & Aguirre, J., *Coastal Research Library* 15., Springer, Switzerland: 334-347.
- 加藤亜記. 2016. 生きた石になる海藻—石灰藻の生存戦略と海の環境. *milsil 自然と科学の情報誌* (国立科学博物館). **9** : 14-16.

Molecular and Applied Biosciences 分子生命開発学講座

- Suekawa, M., **Fujikawa, Y.**, Inada, S., Murano, A., **Esaka, M.** 2016. Gene expression and promoter analysis of a novel tomato aldo-keto reductase in response to environmental stresses. *J. Plant. Physiol.* **200**: 35-44.

- Masanari, M., Fujii, S., Kawahara, K., Oki, H., Tsujino, H., Maruno, T., Kobayashi, Y., Ohkubo, T., Wakai, S., **Sambongi**, Y., 2016. Comparative study on stabilization mechanism of monomeric cytochrome c_5 from deep-sea piezophilic *Shewanella violacea*. *Biosci. Biotech. Biochem.* **80**: 2365-2370.
- Palmer, E. E., Jarrett, E. K., Sachdev, K. R., Zahrani, A. F., Hashem, O. M., Ibrahim, N., Sampaio, H., Kandula, T., Macintosh, R., Gupta, R., Conlon, M. D., Billheimer, T. J., Rader, J. D., **Funato, K.**, Walkey, J. C., Lee, S. C., Loo, C., Brammah, S., Elakis, G., Zhu, Y., Buckley, M., Kirk, P. E., Bye, A., Alkuraya, S. F., Roscioli, T., Lagor, R. W., 2016. Neuronal loss of *ARV1* causes an autosomal recessive epileptic encephalopathy. *Hum. Mol. Genet.* **25**: 3042-3054.
- Eto, K., Denda, H., **Funato, K.**, 2016. A lipid regulator working at the cleavage furrow. *Cell Cycle* **15**: 1315-1316.
- Ikeda, A., Kajiwara, K., Iwamoto, K., Makino, A., Kobayashi, T., Mizuta, K., **Funato, K.**, 2016. Complementation analysis reveals a potential role of human *ARV1* in GPI anchor biosynthesis. *Yeast* **33**: 37-42.
- Kamikawa, S., Oshimo, S., Ohta, E., Nehira, T., **Ômura, H.**, **Ohta, S.**, 2016. Cassane diterpenoids from the roots of *Caesalpinia decapetala* var. *japonica* and structure revision of caesaljapin. *Phytochemistry* **121**: 50-57.
- Kamikawa, S., Ohta, E., Nehira, T., **Ômura, H.**, **Ohta, S.**, 2016. Structure revision of caesalpinista A and caesalpinista B and isolation of a new furanoditerpenoid from the cotyledons of *Caesalpinia decapetala* var. *japonica*. *Helv. Chim. Acta* **99**: 133-137.
- Hegazy, M. F., Mohamed, T. A., Elshamy, A. I., Alhammady, M. A., **Ohta, S.**, Pare, P. W., 2016. Casbane diterpenes from Red Sea coral *Sinularia polydactyla*. *Molecules* **21**: 308-315.
- Sanada, M., Hayashi, R., Imai, Y., Nakamura, F., Inoue, T., **Ohta, S.**, Kawachi, H., 2016. 4', 6-Dimethoxyisoflavone-7-O- β -D-glucopyranoside (wistin) is a peroxisome proliferator-activated receptor (PPAR γ) agonist that stimulates adipocyte differentiation. *Animal Science Journal* **87**: 1347-1351.
- Okumura, Y., Ozeki, Y., Itoh, T., **Ohta, S.**, **Ômura, H.**, 2016. Volatile terpenoids from male wings lacking scent scales in *Anthocharis scolytus* (Lepidoptera: Pieridae). *Appl. Entomol. Zool.* **51**: 385-392.
- Mukae, S., Ohashi, T., Matsumoto, Y., **Ohta, S.**, **Ômura, H.**, 2016. D-Pinitol in Fabaceae: an oviposition stimulant for the common grass yellow butterfly, *Eurema mandarina*. *J. Chem. Ecol.* **42**: 1122-1129.
- Ômura, H.**, Noguchi, T., Nehira, T., 2016. New oxygenated himachalenes in male-specific odor of the Chinese windmill butterfly, *Byasa alcinous alcinous*. *Nat. Prod. Res.* **30**: 406-411.
- Honda, K., Honda, Y., Matsumoto, J., Tsuruta, Y., Yagi, W., **Ômura, H.**, Honda, H., 2016. Production and sex-pheromonal activity of alkaloid-derived androconial compounds in the danaine butterfly, *Parantica sita* (Lepidoptera: Nymphalidae: Danainae). *Biol. J. Linn. Soc.* **119**: 1036-1059.
- Fukuma, M., Ganmyo, Y., Miura, O., Ohyama T., **Shimizu, N.**, 2016. Cloning and characterization of a human genomic sequence that alleviate the repeat-induced gene silencing. *PLoS ONE* **11**: e0153338.
- Mitsuda, S., **Shimizu, N.**, 2016. Epigenetic repeat-induced gene silencing in the chromosomal and extrachromosomal contexts in human cells. *PLoS ONE* **11**: e0161288.
- 石田敦彦・石原康宏・ヴィレヌーヴ真澄美・太田伸二・大村尚・佐久川弘・清水典明・竹田一彦・手島圭三・根平達夫・平野哲男・山崎岳. 2016. 改訂第5版 基礎化学実験. 大学教育出版, 岡山: 1-135.

Food Science and Biofunctions 食資源科学講座

- Murakami, Y., Tanabe, S., **Suzuki, T.**, 2016. High-fat diet-induced intestinal hyperpermeability is associated with increased bile acids in the large intestine of mice. *J. Food Sci.* **81**: H216-22.
- Miyoshi, Y., Tanabe, S., **Suzuki, T.**, 2016. Cellular zinc is required for intestinal epithelial barrier maintenance via

- the regulation of claudin-3 and occludin expression. *Am. J. Physiol. Gastrointest. Liver Physiol.* **311**: G105-16.
- Hung, T.V., Suzuki, T., 2016. Dietary fermentable fiber reduces intestinal barrier defects and inflammation in colitic mice. *J. Nutr.* **146**: 1970-1979.
- Oyama, M., Hung, T.V., Yoda, K., He, F., Suzuki, T., 2016. A novel whey tetrapeptide IPAV reduces interleukin-8 production induced by TNF- α in human intestinal Caco-2 cells. *J. Functional Foods.* **35**: 375-383.
- Yamazaki, K., Hondoh, H., Ueno, S., 2016. Visualization of oil migration in chocolate using scanning electron microscopy - energy dispersion X-ray spectroscopy. *Food Structure* **8**: 8-15.
- Ishibashi, C., Hondoh, H., Ueno, S., 2016. Influence of morphology and polymorphic transformation of fat crystals on the freeze-thaw stability of mayonnaise-type oil-in-water emulsions. *Food Res. Int.* **85**: 604-613.
- Mishima, S., Suzuki, A., Sato, K., Ueno, S., 2016. Formation and microstructures of whipped oils composed of vegetable oils and high-melting fat crystals. *JAACS* **93**: 1453-1466.
- Bayes-García, L., Tres, A., Vichi, S., Calvet, T., Cuevas-Diarte, M. A., Codony, R., Boatella, J., Caixach, J., Ueno, S., Guardiola, F., 2016. Authentication of Iberian dry-cured ham: New approaches by polymorphic fingerprint and ultrahigh resolution mass spectrometry. *Food Control* **60**: 370-377.
- Bayes-García, L., Calvet, T., Cuevas-Diarte, M. A., Ueno, S., 2016. In situ crystallization and transformation kinetics of polymorphic forms of saturated-unsaturated-unsaturated triacylglycerols: 1-palmitoyl-2,3-dioleoyl glycerol, 1-stearoyl-2,3-dioleoyl glycerol, and 1-palmitoyl-2-oleoyl-3-linoleoyl glycerol. *Food Res. Int.* **85**: 244-258.
- 上野 聰・本同宏成・山田悟史. 2016. 身近な現象の物理：チョコレートのおいしい物理学. 日本物理学会誌 **71** : 767-770.
- 上野 聰. 2016. 「チョコレートはなぜおいしいのか」(集英社新書0860G) 集英社, 東京 : 1-206.
- 羽倉義雄. 2017. レトルト殺菌中のパウチ詰め食品の加工程度の非破壊・連続計測～電気物性を利用した未開封物性測定技術の開発～. 浦上財団研究報告書. **24** : 6-11.
- 羽倉義雄. 2016. 電気物性を利用した液状食品の品質評価. *The Soft Drinks Technology* **180** : 345-360.
- 中野宏幸・包紅杉・加藤義啓. 2016. 植物抽出液と静菌剤を添加した食品モデル中での芽胞菌の挙動. 乳酸菌研究会に関する報告書. **27** : 172-173.
- Elnahriry, S. S., Khalifa, H. O., Soliman, A. M., Ahmed, A. M., Hussein, A. H., Shimamoto, T., Shimamoto, T., 2016. Emergence of plasmid-mediated colistin resistance gene, *mcr-1*, in a clinical *Escherichia coli* isolate from Egypt. *Antimicrob. Agents Chemother.* **60**: 3249-3250.
- Khalifa, H. O., Ahmed, A. M., Oreiby, A. F., Eid, A. M., Shimamoto, T., Shimamoto, T., 2016. Characterization of plasmid-mediated colistin resistance gene, *mcr-1*, in *Escherichia coli* isolated from animals in Egypt. *Int. J. Antimicrob. Agents* **47**: 413-414.
- Khalifa, H. O., Soliman, A. M., Ahmed, A. M., Shimamoto, T., Shimamoto, T., 2016. NDM-4 and NDM-5-producing *Klebsiella pneumoniae* coinfection in a 6-month-old infant. *Antimicrob. Agents Chemother.* **60**: 4416-4417.
- Soliman, A. M., Khalifa, H. O., Ahmed, A. M., Shimamoto, T., Shimamoto, T., 2016. Emergence of NDM-5-producing clinical *Escherichia coli* isolate in Egypt. *Int. J. Infect. Dis.* **48**: 46-48.
- 島本 整. 2016. シリーズ匠の化学「日本文化に根付いた柿渋の化学」化学と教育. **64** : 348-349.
- 島本 整. 2016. 果樹研究最前線 No. 250「カキタンニンの抗ノロウイルス作用の発見」果実日本. **71** : 8-11.
- Thongekkaew, J., Fujii, T., Masaki, K., 2016. *Candida easanensis* strain JK-8 β -glucosidase: a glucose-tolerant enzyme with high specific activity for laminarin. *Curr. Chem. Biol.* **10**: 117-126.

- Ogawa, T., Tsubakiyama, R., Kanai, M., Koyama, T., Fujii, T., Iefuji, H., Soga, T., Kume, K., Miyakawa, T., Hirata, D., Mizunuma, M., 2016. Stimulating S-adenosyl-L-methionine synthesis extends lifespan via activation of AMPK. *Proc. Natl. Acad. Sci. USA.* **113**: 11913-11918.
- 磯谷敦子・神田涼子・飯塚幸子・藤井力. 2016. 全国新酒鑑評会出品酒の「香辛料様・4VG」の特性に関する香気成分. *釀協*. **111** : 483-492.
- 藤井力・磯谷敦子・飯塚幸子・伊豆英恵・神田涼子・家村芳次. 2016. 平成26酒造年度全国新酒鑑評会出品酒の分析について. *酒類総合研究所報告*. **188** : 1-16.
- 村山美乃・徳永信・磯谷敦子・藤井力. 2016. 最新テクノロジーによる硫黄臭除去. *ケミカルエンジニアリング*. **61** : 37-41.
- 村山美乃・徳永信・磯谷敦子・藤井力. 2016. 金ナノ粒子の新しい含浸担持法の開発と日本酒からの吸着脱硫への応用. *Organomet. News.* 40-43.
- 向井伸彦・福家成美・正木和夫・山田修・家藤治幸. 2016. 酒酵母及び焼酎酵母のフェルラ酸脱炭酸酵能とそれに必要な遺伝子 PAD1 及び FDC1 の一塩基多型. *日本醸造協会誌*. **111** : 679-685.
- Okuda, M.**, Miyamoto, M., Joyo, M., Takahashi, K., Goto-Yamamoto, N., Iida, S., Ishii, T., 2016. The relationship between rice protein composition and nitrogen compounds in sake. *J. Biosci. Bioeng.* **122**: 70-78.
- Okuda, M.**, Akao, T., Sumihiro, M., Mizuno, M., Goto-Yamamoto, N., 2016. Transfer of caesium and potassium from Japanese apricot (*Prunus mume* Sieb. et Zucc.) to Japanese apricot liqueur (Ume liqueur). *J. Inst. Brew.* **122**: 473-479.

Modeling and management of environment of environmental dynamics division 環境予測制御論講座

- Kaonga, C. C., **Takeda, K.**, **Sakugawa, H.**, 2016. Concentration and degradation of alternative biocides and an insecticide in surface waters and their major sinks in a semi-enclosed sea, Japan. *Chemosphere*. **145**: 256-264.
- Abata, E. O. A., Aiyesanmi, A. F., Olasehinde E. F., Adebayo, A. O., **Takeda, K.**, **Sakugawa, H.**, 2016. Distribution and seasonal variation of heavy metals in sediments of urban surface water, South-West Nigeria. *International Journal of Scientific & Engineering Research*. **7**: 870-898.
- Abata, E. O. A., Aiyesanmi, A. F., Adebayo, A. O., Ajayi, O. O., **Takeda, K.**, **Sakugawa, H.**, 2016. Contamination and ecological risk assessment of heavy metal in the sediment of Ala River, South-West Nigeria: An index-analysis approach. *International Journal of Scientific & Engineering Research*. **7**: 1392-1408.
- Jadoon, W. A., **Sakugawa, H.**, 2016. Concentrations of polycyclic aromatic hydrocarbons: Their potential health risks and sources at three non-urban sites in Japan. *J. Environ. Sci. Health, Part A*. **51**: 884-899.
- Mostofa, K. M. D., **Sakugawa, H.**, 2016. Simultaneous photoinduced generation of Fe²⁺ and H₂O₂ in rivers: An indicator for photo-Fenton reaction. *J. Environ. Sci.* **47**: 34-38.
- Ito, K., Yamashita, T., **Sakugawa, H.**, 2016. Reduction of dioxins on waste liquids treatment Processes. Research Reports of the Faculty of Engineering, Kindai University, No.50: 21-26.
- Mostofa, K. M. G., Liu, C. Q., **Sakugawa, H.**, Fu, P., Minella, M., Vione, D., Minakata, D., Wu, F. C., Zhai, L. M., Mortuza, G., Al-Misned, F. A., Chen, J., Yuank, J., Si-liang, L., 2016. Phototransformation induced by HO radicals. Chapter 7. In "Surface Water Photochemistry" Ed. Paola Calza and Davide Vione, European Society for Photobiology 2016, Royal Society of Chemistry, Beijing: 117-137.
- Eissa, F., Zidan, N. El-Hoda, **Sakugawa, H.**, 2016. Photocatalytic degradation of Irgarol in water by photo-Fenton

- reactions. Chapter 14. In "Surface Water Photochemistry" Ed. Paola Calza and Davide Vione, European Society for Photobiology 2016, Royal Society of Chemistry, Beijing: 275-289.
- Mostofa, K. M. G., Liu, C. Q., Zhai, W., Minella, M., Vione, D., Gao, K., Minakata, D., Arakaki, T., Yoshioka, T., Hayakawa, K., Konohira, E., Tanoue, E., Akhand, A., Chanda, A., Wang, B., **Sakugawa, H.**, 2016. Reviews and Syntheses: Ocean acidification and its potential impacts on marine ecosystems. *Biogeosciences*. **13**: 1767–1786.
- 佐久川弘, 2016. 高大連携に関する日本化学会中国四国支部の活動紹介. 尚志会誌, 一般社団法人尚志会, 広島市. No. 21 : 7-9.
- Assaha, D. V. M., Liu, L., Mekawy, A. M. M., **Ueda, A.**, **Nagaoka, T.**, **Saneoka, H.**, 2016. Effects of drought stress on growth, solute accumulation and membrane stability of leafy vegetable, huckleberry (*Solanum scabrum Mill.*). *J. Environ. Biol.* **37**: 107-114.
- Barutçular, C., Yıldırım, M., Koç, M., Dizlek, H., Akinci, C., El Sabagh, A., **Saneoka, H.**, **Ueda, A.**, Islam, M. S., Toptaş, I., Albayrak, O., Tanrıkuşlu, A., 2016. Quality of spring wheat in Mediterranean environments: Grain quality characterization under drought and heat stress. *Sylwan*. **160**: 43-56.
- Barutçular, C., El Sabagh, A., Islam, M. S., **Ueda, A.**, **Saneoka, H.**, 2016. Identification of drought tolerance indices associated with grain weight in maize at grain filling stage. *Sylwan*. **160**: 32-42.
- El Sabagh, A., Sorour, S., Morsi, A., Islam, M. S., **Ueda, A.**, Barutçular, C., Arioglu, H., **Saneoka, H.**, 2016. Role of osmoprotectants and compost application in improving water stress tolerance in soybean (*Glycine max L.*). *Int. J. Curr. Res.* **8**: 25949-25954.
- Barutçular, C., El Sabagh, A., Konuskan, O., **Saneoka, H.**, Yoldash, K.M. 2016. Evaluation of maize hybrids to terminal drought stress tolerance by defining drought indices. *J. Exp. Biol. Agric. Sci.* **4**: 610-616.
- Barutçular, C., Yıldırım, M., Koç, M., Dizlek, H., Akinci, C., Sabagh, A., **Saneoka, H.**, **Ueda, A.**, Islam, M.S., Toptas, I. 2016. Quality traits performance of bread wheat genotypes under drought and heat stress condition. *Fresenius Environ. Bull.* **25**: 6159-6165.
- 浜名洋司・須川瞬・平尾晃・中元勝彦・柴田健一郎・実岡寛文. 2016. モモの樹体ジョイント仕立てと一字形整枝における定植4年目までの樹体生育、果実生産および栽培管理省力性の比較. *園芸学研究*. **15** : 153-159.
- Kittiwach, J., **Yamamoto, T.**, Kawaguchi, O., **Madinabeitia, I.**, 2016. Assessing responses of the Hiroshima Bay ecosystem to increasing or decreasing phosphorus and nitrogen inputs. *Mar. Poll. Bull.*, **102**: 256-264.
- Yamamoto, T.**, Osawa, K., Asaoka, S., **Madinabeitia, I.**, **Liao, L. M.**, Hirata, S. 2016. Enhancement of marine phytoplankton growth by steel-making slag as a promising component for the development of algal biofuels. *ISIJ International*. **56**: 708-713.
- Miyata, Y., Takahashi, K., Watanabe, K., **Yamamoto, T.**, Hayashi, A., Urabe, N. 2016. Field experiments on suppression of hydrogen sulfide in silty sediments using steelmaking slag. Proceedings of the 5th International Conference on Process Development in Iron and Steelmaking (SCANMET V), CD-ROM.
- Yamamoto, H., **Yamamoto, T.**, Mito, Y., Asaoka, S. 2016. Numerical evaluation of the use of granulated coal ash to reduce an oxygen-deficient water mass. *Mar. Poll. Bull.* **107**: 188-205.
- Miyata, Y., Hayashi, A., Kuwayama, M., **Yamamoto, T.**, Tanishiki, K., Urabe, N. 2016. A field experiment of sulfide reduction in silty sediment using steel-making slag. *ISIJ International*. **56**: 2100-2106.
- 山本民次・清田忠志・河尻義隆・中原真哉・竹田一彦・中川 光. 2016. 鉄溶出施肥材適用によるカキ成長促進の試み. *水産工学*. **53** : 81-85.
- 山本民次. 2016. アサリ復活漁業者模索. フロントライン／備後, 中国新聞.

- 山本民次・大嶋雄治・田中丈裕・西川哲也. 2016. 栄養塩添加による漁場生産力の向上. 日本水産学会誌. **82** : 834-837.
- 山本民次. 2016. 貧栄養化に対する局所的施肥の提案. 瀬戸内海. **72** : 24-26.
- 山本民次・宮田康人. 2016. 製鋼スラグ施工時の持続的な環境改善性の検証. 平成27年度JFEと広島大学の包括協定に基づく報告書. 17 pp.
- 山本民次・中川 光. 2016. 実海域におけるHi-ビーズの環境改善メカニズムに関する研究. 平成27年度共同研究報告書. 30 pp.
- 山本民次. 2016. 二枚貝増産のための革新的環境改善技術体系の確立. 攻めの農林水産業の実現に向けた革新的技術緊急展開事業研究成果報告書. 47 pp.
- 山田 寛・森岡竜二・大塚善久・西村和之・崎田省吾・山本民次・米田輝隆・谷迫淳二・中山雄三. 2016. カキ殻リサイクル材のアサリ育成資材としての検討・評価. 平成27年度特定非営利活動法人広島循環型社会推進機構研究課題成果報告書. pp. 145-158..

Assessment of environmental dynamics division 環境評価論講座

- Tominaga-Wada, R.**, Wada, T., 2016. The *Arabidopsis CAPRICE* protein fused to the VP16 transcriptional activation domain alters root hair and trichome development. *Plant Biotechnol.* **33**: 129-132.
- Tominaga-Wada, T.**, Wada, T., 2016. The ectopic localization of CAPRICE LIKE MYB3 protein in *Arabidopsis* root epidermis. *J. Plant Physiol.* **199**: 111-115.
- Tominaga-Wada, T.**, Wada, T., 2016. Analysis of TTG1 and CPC-like MYB genes during *Arabidopsis* epidermal cell differentiation. *Plant Biotechnol.* **33**: 201-206.